L Number	Hits	Search Text	DB	Time stamp
93	2	20020169582.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:16
94	84087	((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:50
95	2360	(((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) and (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:22
96	2059	((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) and (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:21
97	635	(((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:21
98	509	((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:54
99	166	(fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3) with hart$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:53
100	61	(((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)) and ((fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3) with hart$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:22

101	52	(((((plural!$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3)) same hart$3) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:23
102	9	((((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)) and ((fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3) with hart$3)) not ((((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3)) same hart$3) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:25
103	214	((((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)) and frequenc$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:26
104	152984	(standard$1 or interfac$3 or protocol$1 or bus or busses or buses or fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3) same frequenc$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:28
105	63	((((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)) and ((standard$1 or interfac$3 or protocol$1 or bus or busses or buses or fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3) same frequenc$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:29

| 106 | 54 | ((((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)) and ((standard$1 or interfac$3 or protocol$1 or bus or busses or buses or fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3) same frequenc$3)) not (((((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)) and ((fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3) with hart$3)) or ((((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3)) same hart$3) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)) or (((((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)) and ((fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3) with hart$3)) not ((((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3)) same hart$3) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @ptld<20010730 or @pd<20010730)))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 08:29 |
| 107 | 497066 | ((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 08:51 |

108	452490	(field or control or industrial) adj2 device$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:31
109	3455	(((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses))) with ((field or control or industrial) adj2 device$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:53
110	253	((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses))) with ((field or control or industrial) adj2 device$1)) and (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:31
111	217	(((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses))) with ((field or control or industrial) adj2 device$1)) and (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:54
112	138	((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses))) with ((field or control or industrial) adj2 device$1)) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:54
113	113	(((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1 or second$3) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses))) with ((field or control or industrial) adj2 device$1)) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:34
114	9174	configur$7 with ((field or control or industrial) adj2 device$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:31
115	94	(configur$7 with ((field or control or industrial) adj2 device$1)) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:32

117	3	(((configur$7 with ((field or control or industrial) adj2 device$1)) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) same (portabl$3 or mobile or palm$7 or handheld or hand adj2 held or laptop$1 or lap adj2 top$1 or notebook$1 or note adj2 book$1)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:34
116	4	((configur$7 with ((field or control or industrial) adj2 device$1)) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3 or hart$3)) same (portabl$3 or mobile or palm$7 or handheld or hand adj2 held or laptop$1 or lap adj2 top$1 or notebook$1 or note adj2 book$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:34
-	2	20010009007.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:01
-	149	(fieldbus or field adj2 bus) with hart	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:02
-	114	((fieldbus or field adj2 bus) with hart) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:20
-	415311	(plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 14:23
-	69502	((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:18
-	617	(((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (hart$3 or fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 14:24
-	610	(((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 14:24

-	65	((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3)) same hart$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 14:25
-	52	(((((plural$5 or multi$5 or differ$5 or vary$3 or variet$3 or various or type$1 or kind$1) near8 (standard$1 or interfac$3 or protocol$1 or bus or busses or buses)) with device$1) same (fieldbus$3 or field adj2 bus$3 or profibus$3 or profi adj2 bus$3)) same hart$3) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:23